

Emulex[®] LPe35000-Series and LPe36000-Series HBA Firmware and Boot Code

Release 12.8.351.37

Purpose and Contact Information

These release notes describe the new features, resolved issues, known issues, new firmware features or resolved issues that require a host reboot, technical tips, and license notices associated with this firmware and boot code release for Emulex[®] LPe35000-series and LPe36000-series HBAs.

For the latest product documentation, go to www.broadcom.com. If you have questions or require additional information, contact an authorized Broadcom[®] Technical Support representative at ecd-tech.support@broadcom.com.

New Features

1. Added support for LPe36000 and LPe36002 64Gb/s HBAs.
2. Added support for Fabric OS[®] version 9.0.1 Brocade[®] switches.

NOTE: In some cases, a firmware update requires either a firmware reset or a basic PCIe reset, depending on the features available in the new firmware. A firmware reset is performed automatically if it is needed, regardless of the operating system. In some cases, a full reboot is required to activate new firmware, to enable a new feature, or to take advantage of a resolved issue. In such a case, the application that updated the firmware produces a message indicating what is needed.

See the [New Firmware Features or Resolved Issues That Require a Host Reboot](#) section for a list of new features or resolved issues that require a host reboot after a firmware update.

Resolved Issues

Firmware

A firmware dump no longer occurs during I/O operations on LPe35000-series HBAs.

x86 Boot Code

Improvements were made to target logins on direct-attach, point-to-point connections.

UEFI Boot Code

The target port ID no longer appears as **000000** in a direct-attach, point-to-point connection.

Known Issues

Firmware

1. If an Emulex LPe35000-series HBA and another HBA are in point-to-point direct-attach mode running at 16Gb/s, and FEC is enabled on both HBAs, it might take a long time for the link to come online.

Workaround

Disable FEC on the LPe35000-series HBA.

2. On the VMware ESXi 7.0 U1 operating system, if you attempt to boot from SAN using an LPe36000-series HBA, you cannot update the driver or change driver parameters.

Workaround

Update to the VMware ESXi 7.0 U2 operating system.

3. On the Linux operating systems, setting the `enable-mds-diags` parameter to disabled does not disable the Cisco MDS switch diagnostics.

Workaround

None

4. To perform a firmware dump on an LPe35000-series adapter with the Ubuntu 18.0.4 inbox driver (except the Ubuntu 18.04.3 HWE release), you cannot use the Emulex HBA Manager application or the Emulex HBA Capture utility. To perform a firmware dump on this driver, see [Technical Tips, Item 1](#), in these release notes.

NOTE: The OneCommand™ Manager application has been renamed the Emulex HBA Manager application.

NOTE: The OneCapture™ utility has been renamed the Emulex HBA Capture utility.

5. A host reboot is required after a firmware update on the Ubuntu 18.04 inbox driver (except the Ubuntu 18.04.3 HWE release).
6. Performing a firmware update using `sysfs` on certain inbox Linux operating systems might cause the misleading message `3199 Firmware write complete: Firmware reset required to instantiate to be displayed`.

The following Linux inbox drivers are affected:

- RHEL7.7
- RHEL 7.8
- RHEL 8.1
- SLES12 SP5
- SLES15 SP1
- SLES 15 SP2

Workaround

Instead of performing a firmware reset, perform a PCI bus reset to activate newly downloaded firmware. For instructions on issuing a PCI bus reset, refer to the *Emulex Drivers for Linux User Guide*.

x86 Boot Code

During boot from SAN, if more than one boot device is mapped in the **List of Saved Boot Devices** window, the system does not boot. An error message such as **No Boot Device Available** is displayed, and the system stops.

Workaround

Map only one boot device in the **List of Saved Boot Devices** window.

UEFI Boot Code

1. When configured for NVMe boot support, the Emulex UEFI driver does not understand the various levels of Asymmetric Namespace Access (ANA), also called I/O multipathing. It assumes all boot devices are fully accessible and active. If a boot device that is in an ANA unoptimized or inaccessible state is configured, or if the boot device transitions to such a state over time, the UEFI boot environment might significantly slow or stop its boot sequence. Messages such as `Option ROM POST Error: 2110... Controller I/O timeout failure...` might appear.

Workaround

When you configure UEFI boot devices with storage that supports NVMe ANA, attempt to have optimized paths configured ahead of nonoptimized or inaccessible device paths. If the storage array state changes for boot devices, reconfigure the boot device list to order optimized paths ahead of nonoptimized or inaccessible storage. Search for Knowledge Base article #1211251400308 on the Broadcom website at the following URL for further information:

www.broadcom.com/support/knowledgebase

2. Updating the NVMe BFS installation from RHEL 8.1 to a later RHEL 8.x release requires the `rhel8u1_upgrade.sh` script, which ensures that the NVMe BFS setup is maintained through the update process.
The `rhel8u1_upgrade.sh` script is packaged in the `nvme-fc-dm--1.rhel8.tar.gz` kit inside the `elx-nvme-fc-dm-<build>-n.tar.gz` preinstallation kit. For more information about the preinstallation kit, refer to the *Emulex Boot for the Fibre Channel and NVMe over FC Protocols User Guide*.
Before you run the script, you must configure the `yum` repository for the new operating system. You can update the operating system at any time after you have run the script.

New Firmware Features or Resolved Issues That Require a Host Reboot

This section lists the new firmware features or resolved issues that require a host reboot to be activated after they are installed through a firmware update.

Firmware Version 12.8.351.37

No firmware features in this release require a host reboot after a firmware update.

Firmware Version 12.8.340.8

1. A change was made to reduce the PCIe error rate in some server configurations.
2. Additional information was added to firmware dumps.

Firmware Version 12.6.240.42

No firmware features in this release require a host reboot after a firmware update.

Firmware Version 12.6.240.40

No firmware features in this release require a host reboot after a firmware update.

Firmware Version 12.6.240.21

No firmware features in this release require a host reboot after a firmware update.

Firmware Version 12.6.182.8

1. The PCIe firmware component was updated to support new PCIe Gen4 processor functionality and to improve the overall operating margin.
2. Error messages are no longer encountered if an Emulex HBA Manager CLI `Reset` command is issued while I/O is running.
3. Changes were made to support the suite of tests performed at the PCI-SIG industry workshop.
4. PCIe error messaging was enhanced.

Firmware Version 12.4.243.23

No firmware features in this release require a host reboot after a firmware update.

Firmware Version 12.4.243.22

No firmware features in this release require a host reboot after a firmware update.

Firmware Version 12.4.243.16

1. An issue with function level reset (FLR) error handling and recovery was resolved.
2. To improve consistency across Emulex HBAs, the PCI Rev_ID value was changed from 1 to 0.

Firmware Version 12.2.299.32

No firmware features in this release require a host reboot after a firmware update.

Firmware Version 12.2.299.23

No firmware features in this release require a host reboot after a firmware update.

Firmware Version 12.2.299.14

No firmware features in this release require a host reboot after a firmware update.

Firmware Version 12.2.212.14

This was the initial factory release of firmware for LPe35000-series adapters.

NOTE: If you downgrade the firmware to a version that did not require a host reboot after a firmware update, from a newer version that required a host reboot after a firmware update (such as version 12.4.243.16), you must perform a host reboot after installing the older, downgraded version.

Technical Tips

1. To perform a firmware dump on the Ubuntu 18.0.4 inbox driver as described in [Firmware Known Issues, Item 4](#), perform the following steps:

- a. Ensure that the latest Emulex HBA Manager core application kit for Linux is installed on the host.
- b. Download the LPe35000-series HBA FW Dump Tool from the Broadcom website at www.broadcom.com.
- c. Type the following commands to extract and install the tool:

```
tar xzf elx-lpe-35000-fw-dump-tool-<version>-ds-1.tar.gz
cd elx-lpe-35000-fw-dump-tool-<version>-ds-1/
rpm -ivh elx-lpe-35000-fw-dump-tool-<version>.<platform>.rpm
```

A window similar to the following is displayed.

```
[root@perfi69 elx-lpe-35000-fw-dump-tool-12.8.267.0-ds-1]# elx-lpe-35000-fw-dump-tool

*****
*                               *
*   Emulex LPe35000-series HBA FW Dump Tool   *
*                               *
*   Copyright 2018-2020 Broadcom. All Rights Reserved.   *
*   The term "Broadcom" refers to Broadcom Inc. and/or its subsidiaries.   *
*   Unpublished work. Copying, access, use or distribution requires an   *
*   applicable license approved by Broadcom.   *
*                               *
*****

LPe35000 Devices Detected:
1. pci 0000:a3:00.0 WWPN 0x10000000c9126956 host0 <-- Current handle
2. pci 0000:a3:00.1 WWPN 0x10000000c9126957 host2

Warning:      Triggering a dump on current port handle (host0)
              will also affect port(s): host2

Menu options:
  1. Change port handle.
  2. Trigger Firmware Dump.
  3. Exit.
Please enter option [1 - 3]: █
```

- d. Type 1 and press **Enter** to select the port for which you want to perform the firmware dump.

A window similar to the following is displayed.

```
[root@perfi69 elx-lpe-35000-fw-dump-tool-12.8.267.0-ds-1]# elx-lpe-35000-fw-dump-tool

*****
*                               *
*   Emulex LPe35000-series HBA FW Dump Tool   *
*                               *
*   Copyright 2018-2020 Broadcom. All Rights Reserved.   *
*   The term "Broadcom" refers to Broadcom Inc. and/or its subsidiaries. *
*   Unpublished work. Copying, access, use or distribution requires an *
*   applicable license approved by Broadcom.   *
*****

LPe35000 Devices Detected:
1. pci 0000:a3:00.0 WWPN 0x10000000c9126956 host0 <-- Current handle
2. pci 0000:a3:00.1 WWPN 0x10000000c9126957 host2

Warning:      Triggering a dump on current port handle (host0)
              will also affect port(s): host2

Menu options:
  1. Change port handle.
  2. Trigger Firmware Dump.
  3. Exit.
Please enter option [1 - 3]: 1
```

NOTE: A warning message appears if initiating a firmware dump on a specific port will also affect another port on the same adapter ASIC.

- e. Type the number of the port for which you want to perform the firmware dump, and press **Enter**.

A window similar to the following is displayed.

```
LPe35000 Devices Detected:
1. pci 0000:a3:00.0 WWPN 0x10000000c9126956 host0 <-- Current handle
2. pci 0000:a3:00.1 WWPN 0x10000000c9126957 host2
Please select new handle: 2

*****
*                               *
*   Emulex LPe35000-series HBA FW Dump Tool   *
*                               *
*   Copyright 2018-2020 Broadcom. All Rights Reserved.   *
*   The term "Broadcom" refers to Broadcom Inc. and/or its subsidiaries. *
*   Unpublished work. Copying, access, use or distribution requires an *
*   applicable license approved by Broadcom.   *
*****

LPe35000 Devices Detected:
1. pci 0000:a3:00.0 WWPN 0x10000000c9126956 host0
2. pci 0000:a3:00.1 WWPN 0x10000000c9126957 host2 <-- Current handle

Warning:      Triggering a dump on current port handle (host2)
              will also affect port(s): host0

Menu options:
  1. Change port handle.
  2. Trigger Firmware Dump.
  3. Exit.
Please enter option [1 - 3]:
```

- f. When the desired port is identified as the current port, type 2 and press **Enter** to initiate the firmware dump on the current port.

If the firmware dump is successful, the firmware dump tool closes automatically.

g. Restart the `elxhbamgrd` service by typing the following command:

```
service elxhbamgrd restart
```

This command allows such applications as the Emulex HBA Manager application to be refreshed.

By default, the firmware dump file is available on the host in the `/var/opt/Emulex/ocmanager/Dump/` directory after the `elxhbamgrd` service has been restarted.

2. If a firmware update requires a system reboot, you cannot perform a firmware dump until the reboot has occurred.

Workaround

None.

3. Trunking is not supported at 8Gb/s speeds.

4. Dynamic D_Port cannot coexist with the trunking feature. If trunking is enabled, the firmware automatically disables Dynamic D_Port.

5. If you reset an adapter to its default values while trunking is configured, trunking is disabled after reboot, and all boot parameters are set to default.

6. If trunking is configured, the trunk port link speed displayed by the Emulex x86 BIOS utility or the Emulex UEFI configuration utility is always shown as the aggregate speed. If a physical port is inactive, the displayed speed does not change from the aggregate speed.

7. To configure BFS for NVMe over FC on a Linux operating system, you must use the `elx-nvme-fc-dm-<build>-n.tar.gz` preinstallation kit for both inbox and out-of-box drivers. Refer to the *Emulex Boot for the Fibre Channel and NVMe over FC Protocols User Guide* for more information.

8. D_Port and FA-PWWN cannot be enabled simultaneously.

Workaround

If D_Port is enabled and you want to enable FA-PWWN, you must first disable D_Port. If FA-PWWN is enabled and you want to enable D_Port, you must first disable FA-PWWN.

NOTE: You must disable D_Port using an Emulex application that allows you to do so, such as the Emulex HBA Manager application.

9. BFS is not supported if DH-CHAP authentication is enabled.

10. The link fails to come up on some 16Gb/s arrays that are directly attached to an adapter when FEC is enabled at the array.

Workaround

Disable FEC using one of the following applications:

- Emulex HBA Manager application
- Emulex HBA Manager for VMware vCenter application
- Emulex x86 BIOS utility
- Emulex UEFI configuration utility

Refer to the appropriate drivers user guide and the *Emulex HBA Manager Application User Guide*, the *Emulex HBA Manager Application CLI User Guide*, or the *Emulex HBA Manager for VMware vCenter User Guide* for information about changing parameters. Refer to the *Emulex Boot for the Fibre Channel Protocol User Guide* for information about changing the FEC setting in the Emulex x86 BIOS utility or in the Emulex UEFI configuration utility.

11. Using the Brocade `portdporttest` command with the `stop` option causes the HBA to stop responding when running D_Port tests from the switch. Disabling a port while running D_Port tests from the switch can cause the switch port to get stuck in D_Port mode.

Workaround

Do not stop D_Port tests while they are running from the switch. Do not disable a port while D_Port tests are running from the switch.

If the HBA stops responding, remove the D_Port configuration from the switch port by issuing the following commands. Refer to the Brocade switch documentation for more information.

```
portdisable <portnumber>
portcfgdport --disable <portnumber>
portenable <portnumber>
```

If the switch port is stuck in D_Port mode, use the `portdporttest --exit` command to clear the configuration.

License Notices

OpenSSL Notice

This is a copy of the current LICENSE file inside the CVS repository.

```
LICENSE ISSUES
=====
```

The OpenSSL toolkit stays under a dual license, i.e. both the conditions of the OpenSSL License and the original SSLeay license apply to the toolkit. See below for the actual license texts. Actually both licenses are BSD-style Open Source licenses. In case of any license issues related to OpenSSL please contact openssl-core@openssl.org.

```
OpenSSL License
-----
```

```
/* =====
 * Copyright (c) 1998-2011 The OpenSSL Project. All rights reserved.
 *
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions
 * are met:
 *
 * 1. Redistributions of source code must retain the above copyright
 * notice, this list of conditions and the following disclaimer.
 *
 * 2. Redistributions in binary form must reproduce the above copyright
 * notice, this list of conditions and the following disclaimer in
 * the documentation and/or other materials provided with the
 * distribution.
 *
 * 3. All advertising materials mentioning features or use of this
 * software must display the following acknowledgment:
 * "This product includes software developed by the OpenSSL Project
 * for use in the OpenSSL Toolkit. (http://www.openssl.org/)"
 *
 * 4. The names "OpenSSL Toolkit" and "OpenSSL Project" must not be used to
 * endorse or promote products derived from this software without
 * prior written permission. For written permission, please contact
 * openssl-core@openssl.org.
 *
 * 5. Products derived from this software may not be called "OpenSSL"
 * nor may "OpenSSL" appear in their names without prior written
 * permission of the OpenSSL Project.
 *
 * 6. Redistributions of any form whatsoever must retain the following
 * acknowledgment:
 * "This product includes software developed by the OpenSSL Project
 * for use in the OpenSSL Toolkit (http://www.openssl.org/)"
 *
```

```
* THIS SOFTWARE IS PROVIDED BY THE OpenSSL PROJECT ``AS IS'' AND ANY
* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
* PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE OpenSSL PROJECT OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;
* LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
```

```
* =====
```

```
* This product includes cryptographic software written by Eric Young
* (eay@cryptsoft.com). This product includes software written by Tim
* Hudson (tjh@cryptsoft.com).
```

```
*/
```

Original SSLeay License

```
/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
* All rights reserved.
*
* This package is an SSL implementation written
* by Eric Young (eay@cryptsoft.com).
* The implementation was written so as to conform with Netscapes SSL.
*
* This library is free for commercial and non-commercial use as long as
* the following conditions are aheared to. The following conditions
* apply to all code found in this distribution, be it the RC4, RSA,
* lhash, DES, etc., code; not just the SSL code. The SSL documentation
* included with this distribution is covered by the same copyright terms
* except that the holder is Tim Hudson (tjh@cryptsoft.com).
*
* Copyright remains Eric Young's, and as such any Copyright notices in
* the code are not to be removed.
* If this package is used in a product, Eric Young should be given attribution
* as the author of the parts of the library used.
* This can be in the form of a textual message at program startup or
* in documentation (online or textual) provided with the package.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
* 1. Redistributions of source code must retain the copyright
* notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in the
* documentation and/or other materials provided with the distribution.
* 3. All advertising materials mentioning features or use of this software
* must display the following acknowledgement:
* "This product includes cryptographic software written by
* Eric Young (eay@cryptsoft.com)"
* The word 'cryptographic' can be left out if the rouines from the library
* being used are not cryptographic related :-).
* 4. If you include any Windows specific code (or a derivative thereof) from
* the apps directory (application code) you must include an acknowledgement:
* "This product includes software written by Tim Hudson (tjh@cryptsoft.com)"
*
* THIS SOFTWARE IS PROVIDED BY ERIC YOUNG ``AS IS'' AND
* ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
* ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE
* FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
* DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
* OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
```

```
* LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
* OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* The licence and distribution terms for any publically available version or
* derivative of this code cannot be changed. i.e. this code cannot simply be
* copied and put under another distribution licence
* [including the GNU Public Licence.]
*/
```

Secure Hash Algorithm (SHA-1) Notice

```
/*
* Written by Aaron D. Gifford <me@aarongifford.com>
*
* Copyright 1998, 2000 Aaron D. Gifford. All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in the
* documentation and/or other materials provided with the distribution.
* 3. Neither the name of the copyright holder nor the names of contributors
* may be used to endorse or promote products derived from this software
* without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE AUTHOR(S) AND CONTRIBUTORS ``AS IS'' AND
* ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
* ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR(S) OR CONTRIBUTORS BE LIABLE
* FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
* DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
* OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
* LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
* OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*/
```

Secure Hash Algorithm (SHA-2) Notice

```
/*
* AUTHOR:Aaron D. Gifford - http://www.aarongifford.com/
*
* Copyright (c) 2000-2001, Aaron D. Gifford
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in the
* documentation and/or other materials provided with the distribution.
* 3. Neither the name of the copyright holder nor the names of contributors
* may be used to endorse or promote products derived from this software
* without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE AUTHOR AND CONTRIBUTOR(S) ``AS IS'' AND
* ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
* ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTOR(S) BE LIABLE
* FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
* DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
* OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
```

* LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
* OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
*/

mbed TLS

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity

on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
 - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
 - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
 - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
 - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.
5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

```
Copyright [yyyy] [name of copyright owner]
```

```
Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at
```

```
http://www.apache.org/licenses/LICENSE-2.0
```

```
Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.
```

Broadcom, the pulse logo, Connecting everything, Avago Technologies, Avago, the A logo, Brocade, Emulex, Fabric OS, OneCapture, and OneCommand are among the trademarks of Broadcom and/or its affiliates in the United States, certain other countries, and/or the EU.

Copyright © 2021 Broadcom. All Rights Reserved.

The term “Broadcom” refers to Broadcom Inc. and/or its subsidiaries. For more information, please visit www.broadcom.com.

Broadcom reserves the right to make changes without further notice to any products or data herein to improve reliability, function, or design. Information furnished by Broadcom is believed to be accurate and reliable. However, Broadcom does not assume any liability arising out of the application or use of this information, nor the application or use of any product or circuit described herein, neither does it convey any license under its patent rights nor the rights of others.

